

REPORT DOCUMENTATION PAGE

Form Approved
OMB NO. 0704-0188

Public Reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimates or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188,) Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE May 20, 2004		3. REPORT TYPE AND DATES COVERED Final 15 May 01 - 14 Jan 04	
4. TITLE AND SUBTITLE <i>See Attached Report</i>				5. FUNDING NUMBERS DAAD19-00-1-0585 DAAD19-01-1-0585	
6. AUTHOR(S) John T. Yates, Jr.					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Pittsburgh, Department of Chemistry Pittsburgh, PA 15260				8. PERFORMING ORGANIZATION REPORT NUMBER 41896-CH	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U. S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211				10. SPONSORING / MONITORING AGENCY REPORT NUMBER 41896.3-CH	
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.					
12 a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.				12 b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The adsorption of gases inside single walled nanotubes (SWNTs) could supply a unique method for the removal of toxic wastes and chemical warfare agents from air streams. We have investigated the sorptive properties of SWNTs using infrared spectroscopy and other surface spectroscopic methods. It is found that the deep adsorption potential well associated with the interior of SWNTs supplies strong adsorption sites which are occupied initially by molecules encountering the sorbent. Four molecules have been studied: CF ₄ , CCl ₄ , NO and CO ₂ .					
14. SUBJECT TERMS Nanotubes, adsorption, sorption, chemical agents, infrared spectroscopy, NEXAFS, NO, CF ₄ , CCl ₄ , CO ₂ .				15. NUMBER OF PAGES 5	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION ON THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL		

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102

Enclosure 1

20040709 041

FINAL PROGRESS REPORT
"Thermal and Electronic Excitation of Molecules Inside of
Single Walled Nanotubes"

41896-CH

~~DAAD19-00-1-0585~~

DAAD19-01-1-0585

(1) Forward

The adsorption of gases inside single walled nanotubes (SWNTs) could supply a unique method for the removal of toxic wastes and chemical warfare agents from air streams. We have investigated the sorptive properties of SWNTs using infrared spectroscopy and other surface spectroscopic methods. It is found that the deep adsorption potential well associated with the interior of SWNTs supplies strong adsorption sites which are occupied initially by molecules encountering the sorbent. Four molecules have been studied: CF₄, CCl₄, NO and CO₂.

(2) Table of Contents - None

(3) Appendices - None

(4) Statement of the Problem Studied

Infrared spectroscopy, temperature programmed desorption spectroscopy, and NEXAFS (near edge X-ray absorption spectroscopy) have been employed to observe both the functional groups on the SWNT surface and the adsorbate molecules adsorbed on the inside and the outside of the nanotubes. The IR studies indicate that internally-bound molecules exhibit red shifts in the frequency of their fundamental vibrational modes and this may be used as an analytical tool to discriminate internal from external adsorption sites. The titles and abstracts of the six papers published are given below.

(5) Summary

- A. Kuznetsova, I. Popova, J. T. Yates, Jr., M. J. Bronikowski, C. B. Huffman, J. Liu, R. E. Smalley, H. H. Hwu and J. G. Chen, "Oxygen-containing Functional Groups on Single-Wall Carbon Nanotubes – NEXAFS and Vibrational Spectroscopic Studies," J. Am. Chem. Soc. 123, 10699 (2001).

Single-walled nanotubes (SWNTs) produced by plasma laser vaporization (PLV) and containing oxidized surface functional groups have been studied for the first time with NEXAFS. Comparisons are made to SWNTs made by catalytic synthesis over Fe particles in high-pressure CO, called HiPco material. The results indicate that the acid purification and cutting of single-walled nanotubes with either HNO₃/H₂SO₄ or H₂O₂/H₂SO₄ mixtures produces the oxidized groups

(O/C = 5.5-6.7%), which exhibit both $\pi^*(\text{CO})$ and $\sigma^*(\text{CO})$ C K-edge NEXAFS resonances. This indicates that both carbonyl (C=O) and ether C-O-C functionalities are present. Upon heating in a vacuum to 500-600 K, the $\pi^*(\text{CO})$ resonances are observed to decrease in intensity; on heating to 1073 K, the $\sigma^*(\text{CO})$ resonances disappear as the C-O-C functional groups are decomposed. Raman spectral measurements indicate that the basic tubular structure of the SWNTs is not perturbed by heating to 1073 K, based on the invariance of the ring breathing modes upon heating. The NEXAFS studies agree well with infrared studies which show that carboxylic acid groups are thermally destroyed first, followed by the more difficult destruction of ether and quinone groups. Single-walled nanotubes produced by the HiPco process, and not treated with oxidizing acids, exhibit an O/C ratio of 1.9% and do not exhibit either $\pi^*(\text{CO})$ or $\sigma^*(\text{CO})$ resonances at the detection limit of NEXAFS. It is shown that heating (to 1073 K) of the PLV-SWNTs containing the functional groups produces C K-edge NEXAFS spectra very similar to those seen for the HiPco material. The NEXAFS spectra are calibrated against spectra measured for a number of fused-ring aromatic hydrocarbon molecules containing various types of oxidized functional groups present on the oxidized SWNTs.

- S. Mezheny, D. C. Sorescu, P. Maksymovych and J. T. Yates, Jr. "Dissociation of CH_3I on the Al(111) Surface – An STM and Density Functional Theory Study," J. Am. Chem. Soc. 124, 14202 (2002).

The reaction of methyl iodide with the Al(111) surface was studied by room-temperature scanning tunneling microscopy (STM) and by first principles calculations. It was found that at 300 K methyl iodide decomposes on the Al(111) surface, forming methyl (CH_3), methylidyne (CH), and adsorbed iodine. Methyl groups are observed to occupy atop sites by STM. The occupation of the hollow site by methylidyne was observed in STM measurements. Total energy density functional theory calculations have shown that methyl species occupy atop Al sites ($E_A = 45.3$ kcal/mol), methylidyne species adsorb on fcc hollow sites ($E_A = 155.0$ kcal/mol), while individual iodine atoms can bind on both on-top or hollow sites with adsorption energies between 54 and 56 kcal/mol.

- O. Byl, P. Kondratyuk and J. T. Yates, Jr., "Adsorption and Dimerization of NO Inside of Single Walled Carbon Nanotubes – An Infrared Spectroscopic Study," J. Phys. Chem. B. 107, 4277 (2003).

The physical adsorption of NO on purified single-walled carbon nanotubes was investigated at low temperatures by means of transmission infrared spectroscopy. Ozone treatment followed by annealing was used as the method of opening the entry ports for adsorption into the interior of the nanotubes. The IR spectra show that the NO that is adsorbed inside nanotubes exists exclusively in its dimer form, with no infrared bands of the monomer visible at a sensitivity level of 5 mol % NO. The internally adsorbed NO dimer species observed is *cis*-(NO)₂, with

ν_1 (symmetric)) 1853 cm^{-1} and ν_5 (asymmetric) = 1754 cm^{-1} . Introduction of Xe into the system leads to selective displacement of the internally bound *cis*-(NO)₂ dimer. A large spectroscopic red shift of the symmetric (-0.80%) and the asymmetric (-1.96%) modes for *cis*-(NO)₂ adsorbed inside nanotubes [relative to gas-phase *cis*-(NO)₂] points to the strong interaction of the dimer with the nanotube interior. The enthalpy of dissociation of the adsorbed dimer molecule is 15.1 ± 0.7 kJ/mol.

- O. Byl, P. Kondratyuk, S. Forth, S. FitzGerald, J. T. Yates, Jr., L. Chen and J. K. Johnson "Adsorption of CF₄ on Internal and External Walls of Opened Single Walled Carbon Nanotubes – A Vibrational Spectroscopy Study," J. Am. Chem. Soc. 125, 5889 (2003).

Infrared spectroscopy has been used to make the first experimental discrimination between molecules bound by physisorption on the exterior surface of carbon single-walled nanotubes (SWNTs) and molecules bound in the interior. In addition, the selective displacement of the internally bound molecules has been observed as a second adsorbate is added. SWNTs were opened by oxidative treatment with O₃ at room temperature, followed by heating in a vacuum to 873 K. It was found that, at 133 K and 0.033 Torr, CF₄ adsorbs on closed SWNTs, exhibiting its ν_3 asymmetric stretching mode at 1267 cm^{-1} (red shift relative to the gas phase, 15 cm^{-1}). Adsorption on the nanotube exterior is accompanied by adsorption in the interior in the case of opened SWNTs. Internally bound CF₄ exhibits its ν_3 mode at 1247 cm^{-1} (red shift relative to the gas phase, 35 cm^{-1}). It was shown that, at 133 K, Xe preferentially displaces internally bound CF₄ species, and this counterintuitive observation was confirmed by molecular simulations. The confinement of CF₄ inside (10,10) single-walled carbon nanotubes does not result in the production of lattice modes that are observed in large 3D ensembles of CF₄.

- P. Kondratyuk and J. T. Yates, Jr., "Nanotubes as Molecular Sponges – The Adsorption of CCl₄," Chem. Phys. Lett. 383, 314 (2004).

A unique adsorptive effect involving carbon nanotubes acting as efficient adsorption sinks for mobile molecules has been quantitatively observed.

- W-L. Yim, O. Byl, J. T. Yates, Jr. and J. K. Johnson, "Vibrational Behavior of Adsorbed CO₂ on Single-Walled Carbon Nanotubes," J. Chem. Phys. 120, 5377 (2004).

We present theoretical and experimental evidence for CO₂ adsorption on different sites of single walled carbon nanotube (SWNT) bundles. We use local density approximation density functional theory (LDA-DFT) calculations to compute the adsorption energies and vibrational frequencies for CO₂ adsorbed on SWNT bundles. The LDA-DFT calculations give a range of shifts for the asymmetric stretching mode from about -6 to -20 cm^{-1} for internally bound CO₂, and a range from -4 to -16 cm^{-1} for externally bound CO₂ at low densities. The magnitude of

the shift is larger for CO₂ adsorbed parallel to the SWNT surface; various perpendicular configurations yield much smaller theoretical shifts. The asymmetric stretching mode for CO₂ adsorbed in groove sites and interstitial sites exhibits calculated shifts of -22.2 and -23.8 cm⁻¹, respectively. The calculations show that vibrational mode softening is due to three effects: (1) dynamic image charges in the nanotube; (2) the confining effect of the adsorption potential; (3) dynamic dipole coupling with other adsorbate molecules. Infrared measurements indicate that two families of CO₂ adsorption sites are present. One family, exhibiting a shift of about -20 cm⁻¹ is assigned to internally bound CO₂ molecules in a parallel configuration. This type of CO₂ is readily displaced by Xe, a test for densely populated adsorbed species, which are expected to be present on the highest adsorption energy sites in the interior of the nanotubes. The second family exhibits a shift of about -7 cm⁻¹ and the site location and configuration for these species is ambiguous, based on comparison with the theoretical shifts. The population of the internally bound CO₂ may be enhanced by established etching procedures that open the entry ports for adsorption, namely, ozone oxidation followed by annealing in vacuum at 873 K. Xenon displacement experiments indicate that internally bound CO₂ is preferentially displaced relative to the -7 cm⁻¹ shifted species. The -7 cm⁻¹ shifted species is assigned to CO₂ adsorbed on the external surface based on results from etching and Xe displacement experiments.

(6) Listing

A. Kuznetsova, I. Popova, J. T. Yates, Jr., M. J. Bronikowski, C. B. Huffman, J. Liu, R. E. Smalley, H. H. Hwu and J. G. Chen, "Oxygen-containing Functional Groups on Single-Wall Carbon Nanotubes – NEXAFS and Vibrational Spectroscopic Studies," *J. Am. Chem. Soc.* 123, 10699 (2001).

S. Mezhenny, D. C. Sorescu, P. Maksymovych and J. T. Yates, Jr. "Dissociation of CH₃I on the Al(111) Surface – An STM and Density Functional Theory Study," *J. Am. Chem. Soc.* 124, 14202 (2002).

O. Byl, P. Kondratyuk and J. T. Yates, Jr., "Adsorption and Dimerization of NO Inside of Single Walled Carbon Nanotubes – An Infrared Spectroscopic Study," *J. Phys. Chem. B.* 107, 4277 (2003).

O. Byl, P. Kondratyuk, S. Forth, S. FitzGerald, J. T. Yates, Jr., L. Chen and J. K. Johnson "Adsorption of CF₄ on Internal and External Walls of Opened Single Walled Carbon Nanotubes – A Vibrational Spectroscopy Study," *J. Am. Chem. Soc.* 125, 5889 (2003).

P. Kondratyuk and J. T. Yates, Jr., "Nanotubes as Molecular Sponges – The Adsorption of CCl₄," *Chem. Phys. Lett.* 383, 314 (2004).

W-L. Yim, O. Byl, J. T. Yates, Jr. and J. K. Johnson, "Vibrational Behavior of Adsorbed CO₂ on Single-Walled Carbon Nanotubes," *J. Chem. Phys.* 120, 5377 (2004).

(7) Participating Scientific Personnel Employed by the Project

A. Kutznetsova - Ph.D.

I. Popova- Ph.D.

S. Mezhenny - Ph.D.

Dr. Daniel Sorescu

P. Maksymovych

O. Byl

P. Kondratyuk

S. Forth

Professor Stephen A. FitzGerald

Liang Chen

Professor J. Karl Johnson

Dr. W-L Yim

(8) Report of Inventions - None

(9) Bibliography- None

(10) Appendices -None